PLUS Search Results for S/N 10791329, Searched March 01, 2006

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1070	(rfid adj1 tag\$1) same (rfid adj1 reader\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:27
L2	183352	(range or ranging or distance) near2 (calcul\$ or determin\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:28
L3	193	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:28
L4	44538	(object near2 locat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:28
L5	119	3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:30
L6	4361030	(range or distance) smae (phase) same frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:30
L7	119	5 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:30
L8	50467	(range or distance) same (phase) same frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:30
L9	7	8 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:38
L10	3	linear adj1 trend adj1 fit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:38



Welcome United States Patent and Trademark Office

☐ Search Session History

Fri, 3 Mar 2006, 11:01:35 AM EST Edit an existing query or compose a new query in the Search Query Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Display.

BROWSE	SEARCH

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Recent	Search Queries	Results
#1	((rfid and ranging) <in>metadata)</in>	54
#2	((rfid and ranging) <in>metadata) <and> tag</and></in>	45
#3	((rfid and ranging) <in>metadata) <and> tag <and> least squares</and></and></in>	(
#4	((rfid and ranging) <in>metadata) <and> tag</and></in>	45
<u>#5</u>	((rfid and ranging) <in>metadata) <and> tag <and> phase <and> frequency</and></and></and></in>	10



Help Contact Us Privacy & Security IEEE.org © Copyright 2006 IEEE - All Rights Reserved